

Net 50# (22.67 KG)

AFC BUCKING BULL FEED

For increased weight gain in pasture cattle (slaughter, stocker, feeder, dairy, and beef replacement heifers), for control of coccidiosis caused by EIMERIA BOVIS and EIMERIA ZUERNII.

AFC Bucking Bull Feed is a 15% protein all natural textured bull feed designed to meet the nutritional requirements of bucking bulls during rigorous workouts. AFC Bucking Bull Feed not only supplies additional protein over most traditional bull feeds, but it also provides superior energy and additional fiber levels to assure that the animal receives adequate carbohydrates and fats while maintaining functional rumen health and reduced supplement including chelated minerals to assure the stock owner that the bull is receiving superior levels of minerals and vitamins during times of stress. We have also included a microbial and Bovatec in AFC Bucking Bull Feed to increase feed efficiency and reduce coccidiosis in these high performing animals.

ACTIVE DRUG INGREDIENT

Lasalocid
15 mg per lb

CAUTION

The safety of Lasalocid in unapproved species has not been established. Do not allow horses or other equine access to Lasalocid as ingestion may be fatal.

GUARANTEED ANALYSIS Crude Protein, not less than 15.0% Crude Fat, not less than 3.0% Crude Fiber, not more than 15.0%

INGREDIENTS: Corn, Soybean Meal, Soy hulls, Cottonseed Hulls, Molasses, Salt, Kalsite, Dicalcium Phosphate, Lasalocid, Vitamin A Acetate, Vitamin D3 Supplement, Vitamin E Supplement, Zinc Proteinate, Zinc Oxide, Ferrous Carbonate, Copper Oxide, Calcium Iodate, Cobalt Carbonate, Sodium Selenium, Magnous Sulfate, Zinc Sulphate, Copper Sulfate, and Sacchanomyces Yeast Culture, Bovatec.

FEEDING DIRECTIONS AND MANAGEMENT PRACTICES

Always provide clean water and free choice minerals. When making any changes in an animal's diet, plan a 7-10 day transition period. Feed continuously at the rate of no less than 60 mg or more than 250 mg of Lasalocid per head per day. This feed contains 15 mg of Lasalocid per pound of feed. There is no slaughter withdrawal period when using this drug. Do not feed wet or moldy feed. Do not feed to sheep due to elevated copper levels.

Guaranteed By

Alabama Farmers Cooperative, INC.
800 Market Street SE
Decatur, AL 35601